

รายวิชา ภาษาอังกฤษ

# Medicine Label

รหัสวิชา อ22101 ชั้นมัธยมศึกษาปีที่ 2

ผู้สอน พรทิพย์ พงษ์ทอง



# จุดประสงค์การเรียนรู้

1. บอกความหมายคำศัพท์ที่ใช้ในฉลากยาได้
2. ระบุนข้อมูลในฉลากยาได้ถูกต้อง
3. สรุปสาระสำคัญจากฉลากยาที่อ่านได้



# Medicine Label



# Activity

# Jigsaw



**1**

**2**

**3**

**4**

**5**

**teaspoon**

**11**

**12**

**13**

**14**

**15**

**1**

**2**

**3**

**4**

**5**

**syrup**

**11**

**12**

**13**

**14**

**15**

**1**

**2**

**3**

**4**

**5**

**drop**

**11**

**12**

**13**

**14**

**15**

**1**

**2**

**3**

**4**

**5**

**capsule**

**11**

**12**

**13**

**14**

**15**

**1**

**2**

**3**

**4**

**5**

**tablet**

**11**

**12**

**13**

**14**

**15**

# Medicine Labels

## Vocabulary




# Name of Medicine



# Symptom



# Ingredients



# Manufacturing Date

Mfg.



# Dosage



chew



# dangerous



**pharmacist**





**warning**

# side effect



# storage



**tablet, pill**



**syrup**



**swallow**



# Medicine Label

The label tells you what the medicine is supposed to do, who should or shouldn't take it, and how to use it.

# Answer the Question



What do you know  
from medicine label?



# Worksheet 52.1

## Exercise 1



Directions: Unscramble the words and write their meanings in the space.

lelba

\_\_\_\_\_ = \_\_\_\_\_

nidicatoin

\_\_\_\_\_ = \_\_\_\_\_

cneimide

\_\_\_\_\_ = \_\_\_\_\_

lowslwa

\_\_\_\_\_ = \_\_\_\_\_

dageos

\_\_\_\_\_ = \_\_\_\_\_

wingnar

\_\_\_\_\_ = \_\_\_\_\_

myspomt

\_\_\_\_\_ = \_\_\_\_\_

gerindniet

\_\_\_\_\_ = \_\_\_\_\_

tatbel

\_\_\_\_\_ = \_\_\_\_\_

harpmistca

\_\_\_\_\_ = \_\_\_\_\_

**Directions:**  
Unscramble the words  
and write their meanings  
in the space.

l e l b a

label

n i d i c a t o i n

indication

cneimide

medicine

l o w s l w a

swallow

d a g e o s

dosage

wingnar

warning

m y s p o m t

symptom

gerindniet

ingredient

tatbel

tablet

h a r p m i s t c a

pharmacist

# Worksheet 52.2

## Exercise 2



## ASPIRIN

For Relief of Headaches

Directions and Dosage

Adults-Take 1 or 2 tablets with water.

Children 6 to 12 years old- Take 1 tablet with water.

Children 3 to 6 years old- Take  $\frac{1}{2}$  tablet with water.

For children under 3, consult your physician.

If headache persists, consult your physician

Dosage may be repeated 4 hours. In total, not more than 4 times a day.



**Directions:**  
Read the medicine  
Labels below and then  
answer the questions.

**Warning:** In case of overdose, contact a physician or center of poison control immediately.

Keep bottle cap tightly closed.

1. What is the name of medicine?

.....

2. How often can you take this medicine?

.....

3. How many aspirins can a 16 year – old boy take at a time?

.....

4. What is the warning in the medicine label?

.....

5. How are children under 3's dosages determined?

.....

## ASPIRIN

For Relief of Headaches

Directions and Dosage

Adults-Take 1 or 2 tablets with water.

Children 6 to 12 years old- Take 1 tablet with water.

Children 3 to 6 years old- Take  $\frac{1}{2}$  tablet with water.

For children under 3, consult your physician.

If headache persists, consult your physician

Dosage may be repeated 4 hours. In total, not more than three times a day.

**Warning:** In case of overdose, contact a physician or center of poison control immediately.

Keep bottle cap tightly closed.



**Let's check  
the answers**



1. What is the name of medicine?

Aspirin



2. How often can you take this medicine?

May be repeated 4 hours, not

more than 3 times a day



3. How many aspirins can a 16 year - old boy take at a time?

2



4. What is the warning in the medicine label?

In case of overdose, contact a physician or center of poison control immediately.

5. How are children under 3's dosages determined?

Consult the physician



# Worksheet 52.3

## Exercise 3



# Read the medicine label and answer the questions.

Adults \_\_\_\_\_ 2 tablespoonfuls

Children according to age:

10 – 14 years old \_\_\_\_\_ 2 teaspoonfuls

6 -10 years old \_\_\_\_\_ 1 teaspoonful

3 –6 years old \_\_\_\_\_  $\frac{1}{2}$  tablespoonful

Repeat the above dosage every  $\frac{1}{2}$  hour to 1 hour if needed until 8 dosages are taken. If relief does not occur within two days, consult your physician.

SHAKE WELL BEFORE USING



1. According to the instruction, what would you do before taking the medication?

- a. Shake it
- b. Heat it
- c. Add water to it
- d. See a doctor

2. Most likely, this medicine is .....

- a. a pill
- b. an injection
- c. capsule
- d. syrup

3. According to the instructions on the label of this medicine, which of the following would be an adult?

- a. Thirteen -year -old
- b. A fourteen -year - old
- c. A fifteen -year -old
- d. See your doctor.

4. What is the maximum amount of medication that should be taken by an adult in a four hour period?

- a. Two doses
- b. Four doses
- c. Six doses
- d. Eight doses

5. How are children's dosages determined?

- a. By the number of teaspoons.
- b. By the age of the child.

# Medicine Label

what medicine is  
supposed to do

who should take it

how to use it.

