

รายวิชา ภาษาอังกฤษ

รหัสวิชา อ23101

ชั้นมัธยมศึกษาปีที่ 3

ผู้สอน

ครูณงนุช จันทร์เสวก

เรื่อง

What's wrong with you?

What's wrong with you?



ขอขอบคุณภาพ Steve Buissinne. Hypertension...

จาก <https://pixabay.com/th/th/photos/hypertension-high-blood-pressure-867855/> (July 31, 2015)

What's wrong with you?



Objectives

1. สามารถเรียงลำดับข้อมูลเกี่ยวกับ
เรื่องที่ฟังได้
2. สามารถเขียนประโยคคำสั่งสั้น ๆ ได้

Vocabulary Station



ขอขอบคุณภาพ Steve Buissinne. Hypertension...

จาก <https://pixabay.com/th/th/photos/hypertension-high-blood-pressure-867855/> (July 31, 2015)

Guess what does it mean



DOCTOR




ขอขอบคุณภาพ Doctor.

จาก <https://pixabay.com/th/th/photos/boy-cartoon-checkup-clinic-comic-2027768/> (January 31, 2017)

Guess what does it mean



PATIENT




ขอขอบคุณภาพ Patient.

จาก <https://pixabay.com/th/vectors/influenza-flu-fever-grippe-cold-156098/> (October 22, 2013)

Guess what does it mean



THERMOMETER



TEMPERATURE

ขอขอบคุณภาพ Thermometer.

จาก <https://pixabay.com/th/photo/thermometer-digital-temperature-36852/> (April 18, 2012)

Guess what does it mean



PRESCRIPTION



ขอขอบคุณภาพ prescription.

จาก <https://libreshot.com/doctor-writes-a-prescription/> (April 18, 2012)

Seeing a doctor



Exercise

Arrange the sentences to make a good dialogue.
The first sentence has been done.



Seeing a doctor

Doctor: What's the matter?

Patient: Yesterday I was sick all night and I couldn't sleep as well.

Doctor: Let me take your temperature; open your mouth and pick up this thermometer and hold it under your tongue.

Patient: I have a terrible headache. It's killing me doc.

Doctor: That's too bad. When did you get sick?

Doctor: I'll give you a prescription.

Take 2 tsp. (teaspoons) or 10 ml (milligrams) of cough syrup 3 times after meals.

Patient: I hope so.

Doctor: You'll feel better in a while.

Doctor: Take two pills of paracetamol every four hours.



Seeing a doctor



Doctor: What's the matter?

Patient: I have a terrible headache;
it's killing me doc.

Doctor: That's too bad.
When did you get sick?



Seeing a doctor



Patient: Yesterday I was sick all night and I couldn't sleep as well.

Doctor: Let me take your temperature; open your mouth and pick up this thermometer and hold it under your tongue.



Seeing a doctor



Doctor: I'll give you a prescription.
Take 2 tsp (teaspoons) or 10 ml
(milligrams) of cough syrup 3 times
after meals.

Doctor: Take two pills of
paracetamol every four hours.



Seeing a doctor



Doctor: You'll feel better in a while.

Patient: I hope so.



Imperative sentence

Infinitive Verb without to (V.1 ที่ไม่มี to) มาขึ้นต้นประโยคเพื่อให้ประโยคนั้นเป็นประโยคคำสั่ง, ตักเตือน, แนะนำสั่งสอน, เชื้อเชิญ หรือถ้าเติม please เข้าไปจะเป็นประโยคขอร้อง เช่น Be quiet./ Sit down./ Take off your shoes. etc.)



Imperative

Doctor: What's the matter?

Patient: I have a terrible headache; it's killing me doc.

Doctor: That's too bad. When did you get sick?

Patient: Yesterday I was sick all night and I couldn't sleep as well.

Doctor: Let me take your temperature; open your mouth and pick up this thermometer and hold it under your tongue.



Imperative

- Let me take your temperature.
- Open your mouth.
- Pick up this thermometer.
- Hold it under your tongue.



Imperative

Doctor: I'll give you a prescription. Take 2 tsp (teaspoons) or 10 ml (milligrams) of cough syrup 3 times after meals.

Doctor: Take two pills of paracetamol every four hours.

Doctor: You'll feel better in a while.

Patient: I hope so.

**-Take two pills of paracetamol
every four hours**


Doctor Script



Exercise

Listen to the doctor and
order the pictures.

Doctor Script:



Doctor Script



Doctor Script



1




Well, come in and take the seat.

You say you're having a terrible backache.

Doctor Script



2



Now, let me take your temperature; open your mouth.....

Doctor Script



3




and pick up this thermometer and hold it
under your tongue.

Doctor Script



4



I'll give you a prescription.

Doctor Script



5



Take 2 tsp (teaspoons) or 10 ml (milligrams)
of cough syrup 3 times after meals.

Doctor Script



6



Take two pills of paracetamol every four hours.
You'll feel better in a while.

A young boy with a joyful expression is sitting on a wooden bench outdoors. He is wearing a purple cap and a colorful plaid shirt. He is holding an open book on his lap and laughing heartily with his mouth wide open. The background is a soft-focus outdoor setting with trees and sunlight filtering through the leaves.

QUOTE OF THE DAY

***Always laugh when
you can.***

It is cheap medicine.